

## **Product datasheet for TA323219S**

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

## Adrenomedullin (ADM) Rabbit Polyclonal Antibody

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human breast cancer Predicted cell location: Secreted

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide corresponding to a region derived from 129-141 amino acids of human

adrenomedullin

**Formulation:** PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** adrenomedullin

Database Link: NP 001115

Entrez Gene 133 Human

P35318

**Background:** Adrenomedullin; a hypotensive peptide found in human pheochromocytoma; consists of 52

amino acids; has 1 intramolecular disulfide bond; and shows a slight homology with the calcitonin gene-related peptide. It may function as a hormone in circulation control because it

is found in blood in a considerable concentration. The precursor; called

preproadrenomedullin; is 185 amino acids long. By RNA-blot analysis; human

adrenomedullin mRNA was found to be highly expressed in several tissues. Genomic ADM DNA consists of 4 exons and 3 introns; with the 5-prime flanking region containing TATA; CAAT; and GC boxes. There are also multiple binding sites for activator protein-2 and a cAMP-

regulated enhancer element.







Synonyms: AM; PAMP

**Protein Families:** Druggable Genome, Secreted Protein

# **Product images:**




Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA323219] (ADM Antibody) at dilution 1/20 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA323219] (ADM Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA323219] (ADM Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA323219] (ADM Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)