

## **Product datasheet for TA323300**

## **NeuN (RBFOX3) Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse brain tissue lysate

IHC: 50-200

Positive control: Human thyroid cancer

Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 88-102 amino acids of RNA binding

protein, fox-1 homolog (C. elegans) 3

**Formulation:** PBS pH7.3, 0.05% NaN3, 50% glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 34 kDa

**Gene Name:** RNA binding protein, fox-1 homolog 3

Database Link: NP 001076044

Entrez Gene 52897 MouseEntrez Gene 146713 Human

A6NFN3



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




## Background:

Immunoprecipitation and mass spectrometry of the two major NeuN species at 45–50 kDa identified both as the RNA binding protein Rbfox3 (a member of the Fox family of alternative splicing factors); confirming and extending the identification of the 45 kDa band as Rbfox3. Mapping of the anti-NeuN reactive epitopes in both R3hdm2 and Rbfox3 reveals a common proline- and glutamine-rich domain that lies at the N-terminus of the Rbfox3 protein. Nuclear Rbfox3 isoforms can also enhance the inclusion of cryptic exons in the Rbfox2 mRNA; resulting in nonsense-mediated decay of the message; thereby contributing to the negative regulation of Rbfox2 by Rbfox3 through a novel mechanism.

**Synonyms:** FOX-3; FOX3; HRNBP3; NEUN

## **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 μg


Lane: Mouse brain tissue lysate Primary antibody: TA323300 (RBFOX3 Antibody)

at dilution 1/550

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 90 seconds



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA323300 (RBFOX3 Antibody) at dilution 1/45 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA323300 (RBFOX3 Antibody) at dilution 1/45, treated with synthetic peptide. (Original magnification: ×200)