

## **Product datasheet for TA323301**

## **NeuN (RBFOX3) Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse brain tissue lysate

IHC: 100-300

Positive control: Human tonsil

Predicted cell location: Nucleus and Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

**Clonality:** Polyclonal

**Immunogen:** Synthetic peptide corresponding to a region derived from 88-102 amino acids of RNA binding

protein, fox-1 homolog (C. elegans) 3

**Formulation:** PBS pH7.3, 0.05% NaN3, 50% glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** RNA binding protein, fox-1 homolog 3

Database Link: NP 001020619

Entrez Gene 52897 MouseEntrez Gene 146713 Human

A6NFN3



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




## Background:

Immunoprecipitation and mass spectrometry of the two major NeuN species at 45–50 kDa identified both as the RNA binding protein Rbfox3 (a member of the Fox family of alternative splicing factors); confirming and extending the identification of the 45 kDa band as Rbfox3. Mapping of the anti-NeuN reactive epitopes in both R3hdm2 and Rbfox3 reveals a common proline- and glutamine-rich domain that lies at the N-terminus of the Rbfox3 protein. Nuclear Rbfox3 isoforms can also enhance the inclusion of cryptic exons in the Rbfox2 mRNA; resulting in nonsense-mediated decay of the message; thereby contributing to the negative regulation of Rbfox2 by Rbfox3 through a novel mechanism.

Synonyms:

Fox-3; Hrnbp3; NeuN; Neun; Neuna60; RGD1560070

## **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Mouse brain tissue lysate


Primary antibody: TA323301 (RBFOX3 Antibody)

at dilution 1/600

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 2 minutes




Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA323301 (RBFOX3 Antibody) at dilution 1/50 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA323301 (RBFOX3 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA323301 (RBFOX3 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA323301 (RBFOX3 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)