

# Product datasheet for TA323303S

## **CTBP2** Rabbit Polyclonal Antibody

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: PC3 cells IHC: 25-100 Positive control: Human colon cancer Predicted cell location: Nucleus
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein corresponding to C terminal 300 amino acids of human C-terminal binding protein 2
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	106 kDa
Gene Name:	C-terminal binding protein 2
Database Link:	<u>NP_001077383</u> <u>Entrez Gene 13017 MouseEntrez Gene 81717 RatEntrez Gene 1488 Human</u> <u>P56545</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


### **CTBP2** Rabbit Polyclonal Antibody – TA323303S

Background:	This gene produces alternative transcripts encoding two distinct proteins. One protein is a transcriptional repressor; while the other isoform is a major component of specialized synapses known as synaptic ribbons. Both proteins contain a NAD+ binding domain similar to NAD+-dependent 2-hydroxyacid dehydrogenases. A portion of the 3' untranslated region was used to map this gene to chromosome 21q21.3; however; it was noted that similar loci elsewhere in the genome are likely. Blast analysis shows that this gene is present on chromosome 10.
Synonyms:	C-terminal binding protein 2; OTTHUMP00000020699; OTTHUMP00000020701; ribeye
Protein Families:	Stem cell - Pluripotency, Stem cell relevant signaling - Wnt Signaling pathway
Protein Pathways:	Chronic myeloid leukemia, Notch signaling pathway, Pathways in cancer, Wnt signaling pathway

### **Product images:**




Gel: 8%SDS-PAGE Lysate: 40 µg Lane: PC3 cells Primary antibody: [TA323303] (CTBP2 Antibody) at dilution 1/300 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 2 minutes



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA323303] (CTBP2 Antibody) at dilution 1/25 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA323303] (CTBP2 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA323303] (CTBP2 Antibody) at dilution 1/25 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA323303] (CTBP2 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US