

Product datasheet for TA323454

RAP1A Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Mouse brain tissue

IHC: 25-100

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Full length fusion protein

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: RAP1A, member of RAS oncogene family

Database Link: NP 002875

Entrez Gene 109905 MouseEntrez Gene 295347 RatEntrez Gene 5906 Human

P62834

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background: The product of this gene belongs to the family of RAS-related proteins. These proteins share

approximately 50% amino acid identity with the classical RAS proteins and have numerous structural features in common. The most striking difference between RAP proteins and RAS proteins resides in their 61st amino acid: glutamine in RAS is replaced by threonine in RAP proteins. The product of this gene counteracts the mitogenic function of RAS because it can interact with RAS GAPs and RAF in a competitive manner. Two transcript variants encoding

the same protein have been identified for this gene.?

Synonyms: C21KG; G-22K; KREV-1; KREV1; RAP1; SMGP21


Protein Families: Druggable Genome

Protein Pathways: Chemokine signaling pathway, Focal adhesion, Leukocyte transendothelial migration, Long-

term potentiation, MAPK signaling pathway, Neurotrophin signaling pathway, Renal cell

carcinoma

Product images:



Gel: 12%SDS-PAGE Lysate: 40 µg

Lane: Mouse brain tissue


Primary antibody: TA323454 (RAP1A Antibody) at

dilution 1/200

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA323454 (RAP1A Antibody) at dilution 1/35 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA323454 (RAP1A Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA323454 (RAP1A Antibody) at dilution 1/35 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA323454 (RAP1A Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)