

## Product datasheet for **TA323466**


### Midkine (MDK) Rabbit Polyclonal Antibody

#### Product data:


Product Type:	Primary Antibodies
Applications:	IHC
Recommended Dilution:	IHC: 50-200 Positive control: Human colon cancer Predicted cell location: Cytoplasm
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein corresponding to a region derived from 21-143 amino acids of human midkine (neurite growth-promoting factor 2)
Formulation:	PBS pH7.3, 0.05% NaN <sub>3</sub> , 50% glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	midkine (neurite growth-promoting factor 2)
Database Link:	<a href="#">NP_002382</a> <a href="#">Entrez Gene 4192 Human</a> <a href="#">P21741</a>
Background:	This gene encodes a member of a small family of secreted growth factors that binds heparin and responds to retinoic acid. The encoded protein promotes cell growth; migration; and angiogenesis; in particular during tumorigenesis. This gene has been targeted as a therapeutic for a variety of different disorders. Alternatively spliced transcript variants encoding multiple isoforms have been observed.
Synonyms:	ARAP; MK; NEGF2
Protein Families:	Druggable Genome, Secreted Protein, Transmembrane




[View online »](#)

**Product images:**


Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA323466 (MDK Antibody) at dilution 1/60 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA323466 (MDK Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA323466 (MDK Antibody) at dilution 1/60 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA323466 (MDK Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)