

# **Product datasheet for TA323525**

# **ACTH (POMC) Rabbit Polyclonal Antibody**

## **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	ELISA: 1:1000-2000, WB: 1:500-2000
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from 253-267 amino acids of Human proopiomelanocortin
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	30 kDa
Gene Name:	proopiomelanocortin
Database Link:	<u>NP_000930</u> <u>Entrez Gene 18976 MouseEntrez Gene 24664 RatEntrez Gene 5443 Human</u> <u>P01189</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### **GRIGENE** ACTH (POMC) Rabbit Polyclonal Antibody – TA323525

Background: This gene encodes a polypeptide hormone precursor that undergoes extensive; tissuespecific; post-translational processing via cleavage by subtilisin-like enzymes known as prohormone convertases. There are eight potential cleavage sites within the polypeptide precursor and; depending on tissue type and the available convertases; processing may yield as many as ten biologically active peptides involved in diverse cellular functions. The encoded protein is synthesized mainly in corticotroph cells of the anterior pituitary where four cleavage sites are used; adrenocorticotrophin; essential for normal steroidogenesis and the maintenance of normal adrenal weight; and lipotropin beta are the major end products. In other tissues; including the hypothalamus; placenta; and epithelium; all cleavage sites may be used; giving rise to peptides with roles in pain and energy homeostasis; melanocyte stimulation; and immune modulation.

Synonyms:ACTH; CLIP; LPH; MSH; NPP; POCProtein Families:Druggable GenomeProtein Pathways:Adipocytokine signaling pathway, Melanogenesis

### **Product images:**



Western blot analysis of A172 cell using TA323525 (POMC (Beta endorphin) Antibody) at dilution 1/350

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US