

## **Product datasheet for TA323538S**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

## **Luteinizing Hormone beta (LHB) Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Mouse adrenal gland tissue

IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Secreted

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

**Clonality:** Polyclonal

**Immunogen:** Synthetic peptide corresponding to a region derived from 114-128 amino acids of Human

luteinizing hormone beta polypeptide

**Formulation:** PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 15 kDa

**Gene Name:** luteinizing hormone beta polypeptide

Database Link: NP 000885

Entrez Gene 16866 MouseEntrez Gene 3972 Human

P01229





**Background:** This gene is a member of the glycoprotein hormone beta chain family and encodes the beta

subunit of luteinizing hormone (LH). Glycoprotein hormones are heterodimers consisting of a common alpha subunit and an unique beta subunit which confers biological specificity. LH is expressed in the pituitary gland and promotes spermatogenesis and ovulation by stimulating the testes and ovaries to synthesize steroids. The genes for the beta chains of chorionic gonadotropin and for luteinizing hormone are contiguous on chromosome 19q13.3. Mutations in this gene are associated with hypogonadism which is characterized by infertility


and pseudohermaphroditism.?

**Synonyms:** CGB4; HH23; LSH-B; LSH-beta

**Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** GnRH signaling pathway, Neuroactive ligand-receptor interaction

## **Product images:**



Gel: 12%SDS-PAGE Lysate: 40 µg Lane: Mouse adren

Lane: Mouse adrenal gland tissue


Primary antibody: [TA323538] (LHB Antibody) at

dilution 1/600

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA323538] (LHB Antibody) at dilution 1/50 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA323538] (LHB Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)