

Product datasheet for TA323574

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

Carbonic Anhydrase IV (CA4) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human normal lung tissue

IHC: 25-100

Positive control: Human colon cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to a region derived from 19-284 amino acids of Human

Carbonic anhydrase 4

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 35 kDa

Gene Name: carbonic anhydrase 4

Database Link: NP 000708

Entrez Gene 762 Human

P22748



Carbonic Anhydrase IV (CA4) Rabbit Polyclonal Antibody - TA323574

Background:


Carbonic anhydrases (CAs) are a large family of zinc metalloenzymes that catalyze the reversible hydration of carbon dioxide. They participate in a variety of biological processes; including respiration; calcification; acid-base balance; bone resorption; and the formation of aqueous humor; cerebrospinal fluid; saliva; and gastric acid. They show extensive diversity in tissue distribution and in their subcellular localization. This gene encodes a glycosylphosphatidyl-inositol-anchored membrane isozyme expressed on the luminal surfaces of pulmonary (and certain other) capillaries and proximal renal tubules. Its exact function is not known; however; it may have a role in inherited renal abnormalities of bicarbonate transport.

Synonyms: CAIV; Car4; RP17

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Nitrogen metabolism

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Human normal lung tissue

Primary antibody: TA323574 (CA4 Antibody) at


dilution 1/300

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 40 seconds






Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA323574 (CA4 Antibody) at dilution 1/30 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA323574 (CA4 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using TA323574 (CA4 Antibody) at dilution 1/30 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using TA323574 (CA4 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)