

# **Product datasheet for TA323575**

# OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Carbonic Anhydrase IV (CA4) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Human fetal lung tissue

IHC: 25-100

Positive control: Human ovarian cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

**Clonality:** Polyclonal

**Immunogen:** Fusion protein corresponding to a region derived from 19-284 amino acids of Human

Carbonic anhydrase 4

**Formulation:** PBS pH7.3, 0.05% NaN3, 50% glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 35 kDa

**Gene Name:** carbonic anhydrase 4

Database Link: NP 000708

Entrez Gene 762 Human

P22748



### Carbonic Anhydrase IV (CA4) Rabbit Polyclonal Antibody - TA323575

#### Background:


Carbonic anhydrases (CAs) are a large family of zinc metalloenzymes that catalyze the reversible hydration of carbon dioxide. They participate in a variety of biological processes; including respiration; calcification; acid-base balance; bone resorption; and the formation of aqueous humor; cerebrospinal fluid; saliva; and gastric acid. They show extensive diversity in tissue distribution and in their subcellular localization. This gene encodes a glycosylphosphatidyl-inositol-anchored membrane isozyme expressed on the luminal surfaces of pulmonary (and certain other) capillaries and proximal renal tubules. Its exact function is not known; however; it may have a role in inherited renal abnormalities of bicarbonate transport.

**Synonyms:** CAIV; Car4; RP17

**Protein Families:** Druggable Genome, Transmembrane

**Protein Pathways:** Nitrogen metabolism

# **Product images:**



Gel: 10%SDS-PAGE Lysate: 30 μg

Lane: Human fetal lung tissue

Primary antibody: TA323575 (CA4 Antibody) at


dilution 1/250

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 40 seconds






Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA323575 (CA4 Antibody) at dilution 1/30 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA323575 (CA4 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA323575 (CA4 Antibody) at dilution 1/30 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA323575 (CA4 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)