

Product datasheet for TA323584S

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ALDH9A1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Human fetal liver tissue and hela cells, Human fetal brain tissue

IHC: 50-200

Positive control: Human breast cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 18-32 amino acids of human

aldehyde dehydrogenase 9 family, member A1

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 54 kDa

Gene Name: aldehyde dehydrogenase 9 family member A1

Database Link: NP 000687

Entrez Gene 56752 MouseEntrez Gene 64040 RatEntrez Gene 223 Human

P49189



ALDH9A1 Rabbit Polyclonal Antibody - TA323584S

Background: This protein belongs to the aldehyde dehydrogenase family of proteins. It has a high activity

for oxidation of gamma-aminobutyraldehyde and other amino aldehydes. The enzyme catalyzes the dehydrogenation of gamma-aminobutyraldehyde to gamma-aminobutyric acid

(GABA). This isozyme is a tetramer of identical 54-kD subunits. Converts gamma-

trimethylaminobutyraldehyde into gamma-butyrobetaine. Catalyzes the irreversible oxidation of a broad range of aldehydes to the corresponding acids in an NAD-dependent reaction.

Synonyms: ALDH4; ALDH7; ALDH9; E3; TMABADH


Protein Families: Druggable Genome

Protein Pathways: Arginine and proline metabolism, Ascorbate and aldarate metabolism, beta-Alanine

metabolism, Butanoate metabolism, Fatty acid metabolism, Glycerolipid metabolism, Glycolysis / Gluconeogenesis, Histidine metabolism, Limonene and pinene degradation, Lysine degradation, Metabolic pathways, Propanoate metabolism, Pyruvate metabolism,

Tryptophan metabolism, Valine, leucine and isoleucine degradation

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane 1-3: Human fetal liver tissue

hela cells

Human fetal brain tissue

Primary antibody: [TA323584] (ALDH9A1


Antibody) at dilution 1/240

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 30 seconds






Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA323584] (ALDH9A1 Antibody) at dilution 1/50 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA323584] (ALDH9A1 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA323584] (ALDH9A1 Antibody) at dilution 1/50 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA323584] (ALDH9A1 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)