

# Product datasheet for TA323599S

# **ADH1B Rabbit Polyclonal Antibody**

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 1000-5000 WB positive control: Raji cell lysate IHC: 50-300 Positive control: Human tonsil Predicted cell location: Cytoplasm
Reactivity:	Human
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from 226-338 amino acids of human alcohol dehydrogenase 1B (class I), beta polypeptide
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	40 kDa
Gene Name:	alcohol dehydrogenase 1B (class I), beta polypeptide
Database Link:	<u>NP_000659</u> <u>Entrez Gene 125 Human</u> <u>P00325</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

## **DRIGENE** ADH1B Rabbit Polyclonal Antibody – TA323599S


Background:	The protein encoded by this gene is a member of the alcohol dehydrogenase family. Members of this enzyme family metabolize a wide variety of substrates; including ethanol; retinol; other aliphatic alcohols; hydroxysteroids; and lipid peroxidation products. This encoded protein; consisting of several homo- and heterodimers of alpha; beta; and gamma subunits; exhibits high activity for ethanol oxidation and plays a major role in ethanol catabolism. Three genes encoding alpha; beta and gamma subunits are tandemly organized in a genomic segment as a gene cluster.
Synonyms:	ADH2; HEL-S-117
Protein Families:	Druggable Genome
Protein Pathways:	Drug metabolism - cytochrome P450, Fatty acid metabolism, Glycolysis / Gluconeogenesis, Metabolic pathways, Metabolism of xenobiotics by cytochrome P450, Retinol metabolism, Tyrosine metabolism

### **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 µg Lane: Raji cell lysate Primary antibody: [TA323599] (ADH1B Antibody) at dilution 1/1000 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 20 seconds

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA323599] (ADH1B Antibody) at dilution 1/55 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA323599] (ADH1B Antibody) at dilution 1/55, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US