

## **Product datasheet for TA323612**

## SDF1 (CXCL12) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human breast cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide corresponding to a region derived from 36-50 amino acids of human

chemokine (C-X-C motif) ligand 12

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** C-X-C motif chemokine ligand 12

Database Link: NP 000600

Entrez Gene 20315 MouseEntrez Gene 6387 Human

P48061

**Background:** This gene encodes a stromal cell-derived alpha chemokine member of the intercrine family.

This gene product and its receptor CXCR4 can activate lymphocytes and have been implicated

in the metastasis of some cancers such as breast cancer. Mutations in this gene are associated with resistance to human immunodeficiency virus type 1 infections. Multiple

transcript variants encoding different isoforms have been found for this gene.

Synonyms: IRH; PBSF; SCYB12; SDF1; TLSF; TPAR1

**Protein Families:** Druggable Genome, ES Cell Differentiation/IPS, Secreted Protein



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




**Protein Pathways:** 

Axon guidance, Chemokine signaling pathway, Cytokine-cytokine receptor interaction, Leukocyte transendothelial migration

## **Product images:**




Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA323612 (CXCL12 Antibody) at dilution 1/20 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA323612 (CXCL12 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA323612 (CXCL12 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA323612 (CXCL12 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)