

Product datasheet for **TA323652**

TIE2 (TEK) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC
Recommended Dilution:	IHC: 25-100 Positive control: Human liver cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from 516-529 amino acids of human TEK tyrosine kinase, endothelial
Formulation:	PBS pH7.3, 0.05% NaN ₃ , 50% glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	TEK receptor tyrosine kinase
Database Link:	NP_000450 Entrez Gene 21687 Mouse Entrez Gene 7010 Human Q02763

Background: The TEK receptor tyrosine kinase is expressed almost exclusively in endothelial cells in mice; rats; and humans. This receptor possesses a unique extracellular domain containing 2 immunoglobulin-like loops separated by 3 epidermal growth factor-like repeats that are connected to 3 fibronectin type III-like repeats. The ligand for the receptor is angiopoietin-1. Defects in TEK are associated with inherited venous malformations; the TEK signaling pathway appears to be critical for endothelial cell-smooth muscle cell communication in venous morphogenesis. TEK is closely related to the TIE receptor tyrosine kinase.




[View online »](#)


Synonyms: CD202B; TIE-2; TIE2; VMCM; VMCM1

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase, Transmembrane


Product images:




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA323652 (TEK Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA323652 (TEK Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA323652 (TEK Antibody) at dilution 1/40 (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA323652 (TEK Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: $\times 200$)