

Product datasheet for **TA323717S**

Gelsolin (GSN) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC
Recommended Dilution:	IHC: 25-100 Positive control: Human brain Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from 768-782 amino acids of Human gelsolin
Formulation:	PBS pH7.3, 0.05% NaN ₃ , 50% glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	90 kDa
Gene Name:	gelsolin
Database Link:	NP_000168 Entrez Gene 227753 MouseEntrez Gene 296654 RatEntrez Gene 2934 Human P06396

Background: The protein encoded by this gene binds to the "plus" ends of actin monomers and filaments to prevent monomer exchange. The encoded calcium-regulated protein functions in both assembly and disassembly of actin filaments. Defects in this gene are a cause of familial amyloidosis Finnish type (FAF). Multiple transcript variants encoding several different isoforms have been found for this gene.


Synonyms: ADF; AGEL
Protein Families: Druggable Genome, Secreted Protein




[View online »](#)

Protein Pathways: Fc gamma R-mediated phagocytosis, Regulation of actin cytoskeleton


Product images:




Immunohistochemistry of paraffin-embedded Human brain tissue using [TA323717] (GSN Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA323717] (GSN Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA323717] (GSN Antibody) at dilution 1/40 (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA323717] (GSN Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: $\times 200$)