

Product datasheet for TA323722S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Growth hormone receptor (GHR) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB: 200-1000

WB positive control: PC cell

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 48-63 amino acids of Human

growth hormone receptor

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 69 kDa

Gene Name: growth hormone receptor

Database Link: NP 000154

Entrez Gene 14600 MouseEntrez Gene 25235 RatEntrez Gene 2690 Human

P10912



Growth hormone receptor (GHR) Rabbit Polyclonal Antibody - TA323722S

Background: This gene encodes a member of the type I cytokine receptor family; which is a

transmembrane receptor for growth hormone. Binding of growth hormone to the receptor leads to receptor dimerization and the activation of an intra- and intercellular signal transduction pathway leading to growth. Mutations in this gene have been associated with Laron syndrome; also known as the growth hormone insensitivity syndrome (GHIS); a disorder characterized by short stature. In humans and rabbits; but not rodents; growth hormone binding protein (GHBP) is generated by proteolytic cleavage of the extracellular ligand-binding domain from the mature growth hormone receptor protein. Multiple alternatively spliced transcript variants have been found for this gene.


Synonyms: GHBP; GHIP

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Cytokine-cytokine receptor interaction, Jak-STAT signaling pathway, Neuroactive ligand-

receptor interaction

Product images:



Gel: 6%SDS-PAGE Lysate: 40 μg Lane: PC cell

Primary antibody: [TA323722] (GHR Antibody) at

dilution 1/400

Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution

Exposure time: 2 minutes