

Product datasheet for TA323739

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Collagen IV (COL4A3) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human ovarian cancer

Predicted cell location: Secreted, ExtraCellular matrix, ExtraCellular space

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 41-52 amino acids of human

collagen, type IV, alpha 3 (Goodpasture antigen)

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: collagen type IV alpha 3 chain

Database Link: NP 000082

Entrez Gene 12828 MouseEntrez Gene 1285 Human

Q01955



Background:

Type IV collagen; the major structural component of basement membranes; is a multimeric protein composed of 3 alpha subunits. These subunits are encoded by 6 different genes; alpha 1 through alpha 6; each of which can form a triple helix structure with 2 other subunits to form type IV collagen. This gene encodes alpha 3. In the Goodpasture syndrome; autoantibodies bind to the collagen molecules in the basement membranes of alveoli and glomeruli. The epitopes that elicit these autoantibodies are localized largely to the non-collagenous C-terminal domain of the protein. A specific kinase phosphorylates amino acids in this same C-terminal region and the expression of this kinase is upregulated during pathogenesis. This gene is also linked to an autosomal recessive form of Alport syndrome. The mutations contributing to this syndrome are also located within the exons that encode this C-terminal region. Like the other members of the type IV collagen gene family; this gene is organized in a head-to-head conformation with another type IV collagen gene so that each gene pair shares a common promoter.


Synonyms:

alpha-3 polypeptide; alpha 3 (Goodpasture antigen); alpha 3 type IV collagen; alpha3 type IV collagen; collagen; collagen IV; Goodpasture antigen; OTTHUMP00000195044; TUMSTATIN; tumstatin; type IV

Protein Families:


Druggable Genome

Product images:




Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA323739 (COL4A3 Antibody) at dilution 1/20 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA323739 (COL4A3 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA323739 (COL4A3 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA323739 (COL4A3 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)