

## **Product datasheet for TA323762S**

## AGA Rabbit Polyclonal Antibody

## **Product data:**

**Product Type:** Primary Antibodies

Applications: WB

Recommended Dilution: WB: 200-1000

WB positive control: Raji cells

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein corresponding to a region derived from 206-346 amino acids of human

aspartylglucosaminidase

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 37 kDa

**Gene Name:** aspartylglucosaminidase

Database Link: NP 000018

Entrez Gene 11593 MouseEntrez Gene 290923 RatEntrez Gene 175 Human

P20933

**Background:** Aspartylglucosaminidase is involved in the catabolism of N-linked oligosaccharides of

glycoproteins. It cleaves asparagine from N-acetylglucosamines as one of the final steps in

the lysosomal breakdown of glycoproteins. The lysosomal storage disease

aspartylglycosaminuria is caused by a deficiency in the AGA enzyme. Alternatively spliced

transcript variants have been identified.?

Synonyms: AGU; ASRG; GA

**Protein Families:** Druggable Genome, Protease



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Protein Pathways:** Lysosome, Other glycan degradation

## **Product images:**



Gel: 10%SDS-PAGE Lysate: 40 µg Lane: Raji cells

Primary antibody: [TA323762] (AGA Antibody) at

dilution 1/125

Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution

Exposure time: 30 seconds