

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA323815S

Heme oxygenase 2 (HMOX2) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	WB: 200-1000 WB positive control: Human normal liver tissue and hepg2 cells, Jurkat and K562 cells
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein corresponding to a region derived from 82-316 amino acids of human heme oxygenase (decycling) 2
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	36 kDa
Gene Name:	heme oxygenase 2
Database Link:	<u>NP_001120676</u> <u>Entrez Gene 15369 MouseEntrez Gene 79239 RatEntrez Gene 3163 Human</u> <u>P30519</u>
Background:	Heme oxygenase; an essential enzyme in heme catabolism; cleaves heme to form biliverdin; which is subsequently converted to bilirubin by biliverdin reductase; and carbon monoxide; a putative neurotransmitter. Heme oxygenase activity is induced by its substrate heme and by various nonheme substances. Heme oxygenase occurs as 2 isozymes; an inducible heme oxygenase-1 and a constitutive heme oxygenase-2. HMOX1 and HMOX2 belong to the heme oxygenase family. Alternative splice variants encoding the same protein have been identified at this locus.?
Synonyms:	HO-2




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Service Meme oxygenase 2 (HMOX2) Rabbit Polyclonal Antibody – TA323815S

Protein Families: Transmembrane

Protein Pathways: Porphyrin and chlorophyll metabolism

Product images:



Gel: 10%SDS-PAGE Lysate: 30 µg Lane 1-4: Human normal liver tissue hepg2 cells Jurkat cells K562 cells Primary antibody: [TA323815] (HMOX2 Antibody) at dilution 1/550 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 15 seconds

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US