

## **Product datasheet for TA323844S**

## **AIF (AIFM1) Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: NIH/3T3, Hela and 293T cells

IHC: 25-100

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

**Clonality:** Polyclonal

**Immunogen:** Fusion protein corresponding to C terminal 250 amino acids of human apoptosis-inducing

factor, mitochondrion-associated, 1

**Formulation:** PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 67 kDa

**Gene Name:** apoptosis inducing factor, mitochondria associated 1

Database Link: NP 001124318

Entrez Gene 26926 MouseEntrez Gene 83533 RatEntrez Gene 9131 Human

<u>095831</u>



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


This gene encodes a flavoprotein essential for nuclear disassembly in apoptotic cells; and it is found in the mitochondrial intermembrane space in healthy cells. Induction of apoptosis results in the translocation of this protein to the nucleus where it affects chromosome condensation and fragmentation. In addition; this gene product induces mitochondria to release the apoptogenic proteins cytochrome c and caspase-9. Mutations in this gene cause combined oxidative phosphorylation deficiency 6; which results in a severe mitochondrial encephalomyopathy. Alternative splicing results in multiple transcript variants. A related pseudogene has been identified on chromosome 10.?

Synonyms: AIF; CMT2D; CMTX4; COWCK; COXPD6; NADMR; NAMSD; PDCD8

**Protein Families:** Druggable Genome, Transmembrane

**Protein Pathways:** Apoptosis

## **Product images:**



Gel: 10+12%SDS-PAGE

Lysate: 30 µg Lane 1-3: NIH/3T3 cells

Hela cells 293T cells


Primary antibody: [TA323844] (AIFM1 Antibody)

at dilution 1/600

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA323844] (AIFM1 Antibody) at dilution 1/30 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA323844] (AIFM1 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA323844] (AIFM1 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA323844] (AIFM1 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)