

Product datasheet for TA323937

ADAMDEC1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human liver cancer

Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to a region derived from 206-340 amino acids of human

ADAM-like, decysin 1

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: ADAM like decysin 1

Database Link: NP 055294

Entrez Gene 27299 Human

O15204

Background: This encoded protein is thought to be a secreted protein belonging to the disintegrin

metalloproteinase family. Its expression is upregulated during dendritic cells maturation. This

protein may play an important role in dendritic cell function and their interactions with

germinal center T cells.

Synonyms: M12.219

Protein Families: Druggable Genome, Secreted Protein




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA323937 (ADAMDEC1 Antibody) at dilution 1/20 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA323937 (ADAMDEC1 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA323937 (ADAMDEC1 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA323937 (ADAMDEC1 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)