

Product datasheet for TA323938

CDK6 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: K562 cell lysate

IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to a region derived from 13-300 amino acids of Human Cyclin-

dependent kinase 6

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 37 kDa

Gene Name: cyclin-dependent kinase 6

Database Link: NP 001138778

Entrez Gene 12571 MouseEntrez Gene 1021 Human

Q00534



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

The protein encoded by this gene is a member of the cyclin-dependent protein kinase (CDK) family. CDK family members are highly similar to the gene products of Saccharomyces cerevisiae cdc28; and Schizosaccharomyces pombe cdc2; and are known to be important regulators of cell cycle progression. This kinase is a catalytic subunit of the protein kinase complex that is important for cell cycle G1 phase progression and G1/S transition. The activity of this kinase first appears in mid-G1 phase; which is controlled by the regulatory subunits including D-type cyclins and members of INK4 family of CDK inhibitors. This kinase; as well as CDK4; has been shown to phosphorylate; and thus regulate the activity of; tumor suppressor protein Rb. Expression of this gene is up-regulated in some types of cancer. Multiple alternatively spliced variants; encoding the same protein; have been identified.


Synonyms: MCPH12; PLSTIRE

Protein Families: Druggable Genome, Protein Kinase

Protein Pathways: Cell cycle, Chronic myeloid leukemia, Glioma, Melanoma, Non-small cell lung cancer, p53

signaling pathway, Pancreatic cancer, Pathways in cancer, Small cell lung cancer

Product images:



Gel: 8%SDS-PAGE Lysate: 40 µg Lane: K562 cell lysate

Primary antibody: TA323938 (CDK6 Antibody) at


dilution 1/700

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 1 minute






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA323938 (CDK6 Antibody) at dilution 1/55 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA323938 (CDK6 Antibody) at dilution 1/55, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA323938 (CDK6 Antibody) at dilution 1/55 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA323938 (CDK6 Antibody) at dilution 1/55, treated with fusion protein. (Original magnification: ×200)