

## **Product datasheet for TA323986S**

## **PRKAR1B Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 1000-5000

WB positive control: Human colon cancer tissue

IHC: 50-200

Positive control: Human breast cancer Predicted cell location: Cytoplasm, Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide corresponding to a region derived from 50-62 amino acids of Human

protein kinase, cAMP-dependent, regulatory, type I, beta

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 43 kDa

Gene Name: protein kinase cAMP-dependent type I regulatory subunit beta

Database Link: NP 001158230

Entrez Gene 19085 MouseEntrez Gene 25521 RatEntrez Gene 5575 Human

P31321

**Background:** Cyclic AMP-dependent protein kinase A (PKA) is an essential enzyme in the signaling pathway

of the second messenger cAMP. Through phosphorylation of target proteins, PKA controls many biochemical events in the cell including regulation of metabolism, ion transport, and gene transcription. The PKA holoenzyme is composed of 2 regulatory and 2 catalytic subunits

and dissociates from the regulatory subunits upon binding of cAMP.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms: PRKAR1

**Protein Families:** Druggable Genome

**Protein Pathways:** Apoptosis, Insulin signaling pathway

## **Product images:**



Gel: 10%SDS-PAGE Lysate: 40 μg


Lane: Human colon cancer tissue Primary antibody: [TA323986] (PRKAR1B

Antibody) at dilution 1/1200

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA323986] (PRKAR1B Antibody) at dilution 1/70 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA323986] (PRKAR1B Antibody) at dilution 1/70, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA323986] (PRKAR1B Antibody) at dilution 1/70 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA323986] (PRKAR1B Antibody) at dilution 1/70, treated with synthetic peptide. (Original magnification: ×200)