

Product datasheet for TA323988

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GM CSF Receptor alpha (CSF2RA) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB: 500-2000

WB positive control: Human lymphoma tissue

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to a region derived from 23-320 amino acids of human colony

stimulating factor 2 receptor, alpha, low-affinity (granulocyte-macrophage)

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 46 kDa

Gene Name: colony stimulating factor 2 receptor alpha subunit

Database Link: NP 001155001

Entrez Gene 1438 Human

P15509

Background: The protein encoded by this gene is the alpha subunit of the heterodimeric receptor for

colony stimulating factor 2; a cytokine which controls the production; differentiation; and function of granulocytes and macrophages. The encoded protein is a member of the cytokine family of receptors. This gene is found in the pseudoautosomal region (PAR) of the X and Y chromosomes. Multiple transcript variants encoding different isoforms have been found for this gene; with some of the isoforms being membrane-bound and others being soluble.



GM CSF Receptor alpha (CSF2RA) Rabbit Polyclonal Antibody - TA323988

Synonyms: CD116; CDw116; CSF2R; CSF2RAX; CSF2RAY; CSF2RX; CSF2RY; GM-CSF-R-alpha; GMCSFR; GMR;


SMDP4

Protein Families: Druggable Genome, Secreted Protein, Transmembrane

Protein Pathways: Cytokine-cytokine receptor interaction, Hematopoietic cell lineage, Jak-STAT signaling

pathway, Pathways in cancer

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Human lymphoma tissue

Primary antibody: TA323988 (CSF2RA Antibody)

at dilution 1/200

Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution

Exposure time: 30 seconds