

## **Product datasheet for TA323998S**

## **CIKS (TRAF3IP2) Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Jurkat cells

IHC: 25-100

Positive control: Human colon cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein corresponding to a region derived from 1-256 amino acids of human TRAF3

interacting protein 2

**Formulation:** PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 65 kDa

**Gene Name:** TRAF3 interacting protein 2

Database Link: NP 001157753

Entrez Gene 10758 Human

<u>043734</u>



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




## Background:

This gene encodes a protein involved in regulating responses to cytokines by members of the Rel/NF-kappaB transcription factor family. These factors play a central role in innate immunity in response to pathogens; inflammatory signals and stress. This gene product interacts with TRAF proteins (tumor necrosis factor receptor-associated factors) and either I-kappaB kinase or MAP kinase to activate either NF-kappaB or Jun kinase. Several alternative transcripts encoding different isoforms have been identified. Another transcript; which does not encode a protein and is transcribed in the opposite orientation; has been identified. Overexpression of this transcript has been shown to reduce expression of at least one of the protein encoding transcripts; suggesting it has a regulatory role in the expression of this gene.

Synonyms:

ACT1; C6orf2; C6orf4; C6orf5; C6orf6; CANDF8; CIKS; PSORS13

## **Product images:**



Gel: 10%SDS-PAGE Lysate: 40 µg Lane: Jurkat cells


Primary antibody: [TA323998] (TRAF3IP2

Antibody) at dilution 1/400

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA323998] (TRAF3IP2 Antibody) at dilution 1/25 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA323998] (TRAF3IP2 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA323998] (TRAF3IP2 Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA323998] (TRAF3IP2 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)