

Product datasheet for TA324028

VDAC2 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 283-294 amino acids of human

voltage-dependent anion channel 2

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: voltage dependent anion channel 2

Database Link: NP 003366

Entrez Gene 22334 MouseEntrez Gene 83531 RatEntrez Gene 7417 Human

P45880

Background: This gene encodes a member of the voltage-dependent anion channel pore-forming family of

proteins that are considered the main pathway for metabolite diffusion across the

mitochondrial outer membrane. The encoded protein is also thought to be involved in the mitochondrial apoptotic pathway via regulation of BCL2-antagonist/killer 1 protein activity. Pseudogenes have been identified on chromosomes 1; 2; 12 and 21; and alternative splicing

results in multiple transcript variants.?

Synonyms: POR



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Protein Families: Druggable Genome, Ion Channels: Other

Protein Pathways: Calcium signaling pathway, Huntington's disease, Parkinson's disease

Product images:




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA324028 (VDAC2 Antibody) at dilution 1/25 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA324028 (VDAC2 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA324028 (VDAC2 Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA324028 (VDAC2 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)