

Product datasheet for TA324031

HADHSC (HADH) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Reactivity: WB: 1:500-2000 Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Full length fusion protein

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 34 kDa

Gene Name: hydroxyacyl-CoA dehydrogenase

Database Link: NP 001171634

Entrez Gene 15107 MouseEntrez Gene 3033 Human

Q16836

Background: This gene is a member of the 3-hydroxyacyl-CoA dehydrogenase gene family. The encoded

protein functions in the mitochondrial matrix to catalyze the oxidation of straight-chain 3-hydroxyacyl-CoAs as part of the beta-oxidation pathway. Its enzymatic activity is highest with

medium-chain-length fatty acids. Mutations in this gene cause one form of familial

hyperinsulinemic hypoglycemia. The human genome contains a related pseudogene of this

gene on chromosome 15.

Synonyms: HAD; HADH1; HADHSC; HCDH; HHF4; MSCHAD; SCHAD



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Pathways:

Butanoate metabolism, Fatty acid elongation in mitochondria, Fatty acid metabolism, Lysine degradation, Metabolic pathways, Tryptophan metabolism, Valine, leucine and isoleucine degradation

Product images:



Predicted band size: 34 kDa. Positive control: HeLa cell lysate. Recommended dilution: 1/500-2000. (Gel: 10%SDS-PAGE Lysate: 40 ug Primary antibody: 1/500 dilution Secondary antibody: Goat anti Rabbit IgG - H&L (HRP) at 1/10000 dilution Exposure time: 1 minute)