

## **Product datasheet for TA324059S**

## **FGFR1 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-300

Positive control: Human cervical cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein corresponding to C terminal 200 amino acids of human fibroblast growth

factor receptor 1

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** fibroblast growth factor receptor 1

Database Link: Entrez Gene 14182 MouseEntrez Gene 79114 RatEntrez Gene 2260 Human

P11362



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

The protein encoded by this gene is a member of the fibroblast growth factor receptor (FGFR) family; where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein consists of an extracellular region; composed of three immunoglobulin-like domains; a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors; setting in motion a cascade of downstream signals; ultimately influencing mitogenesis and differentiation. This particular family member binds both acidic and basic fibroblast growth factors and is involved in limb induction. Mutations in this gene have been associated with Pfeiffer syndrome; Jackson-Weiss syndrome; Antley-Bixler syndrome; osteoglophonic dysplasia; and autosomal dominant Kallmann syndrome 2. Chromosomal aberrations involving this gene are associated with stem cell myeloproliferative disorder and stem cell leukemia lymphoma syndrome. Alternatively spliced variants which encode different protein isoforms have been described; however; not all variants have been fully characterized.

**Synonyms:** bFGF-R; BFGFR; c-fgr; CD331; CEK; FGFBR; FGFR-1; FLG; FLJ99988; FLT2; H2; H3; H4; H5;


HBGFR; KAL2; N-SAM; OGD; OTTHUMP00000190881

**Protein Families:** Druggable Genome, Protein Kinase, Transmembrane

**Protein Pathways:** Adherens junction, MAPK signaling pathway, Melanoma, Pathways in cancer, Prostate cancer,


Regulation of actin cytoskeleton

## **Product images:**




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA324059] (FGFR1 Antibody) at dilution 1/60 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA324059] (FGFR1 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA324059] (FGFR1 Antibody) at dilution 1/60 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA324059] (FGFR1 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)