

Product datasheet for TA324142

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

Cytochrome P450 3A4 (CYP3A4) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Human fetal intestines tissue lysate

IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to C terminal 286 amino acids of human cytochrome P450,

family 3, subfamily A, polypeptide 4

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 57 kDa

Gene Name: cytochrome P450 family 3 subfamily A member 4

Database Link: NP 001189784

Entrez Gene 1576 Human

P08684



Cytochrome P450 3A4 (CYP3A4) Rabbit Polyclonal Antibody - TA324142

Background:

This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases that catalyze many reactions involved in drug metabolism and synthesis of cholesterol; steroids and other lipids. This protein localizes to the endoplasmic reticulum and its expression is induced by glucocorticoids and some pharmacological agents. This enzyme is involved in the metabolism of approximately half the drugs in use today; including acetaminophen; codeine; cyclosporin A; diazepam and erythromycin. The enzyme also metabolizes some steroids and carcinogens. This gene is part of a cluster of cytochrome P450 genes on chromosome 7q21.1. Previously another CYP3A gene; CYP3A3; was thought to exist; however; it is now thought that this sequence represents a transcript variant of CYP3A4. Alternatively spliced transcript variants encoding different isoforms have been identified.?

Synonyms: CP33; CP34; CYP3A; CYP3A3; CYPIIIA4; HLP; NF-25; P450C3; P450PCN1


Protein Families: Druggable Genome, ES Cell Differentiation/IPS, P450, Transmembrane

Protein Pathways: Drug metabolism - cytochrome P450, Drug metabolism - other enzymes, Linoleic acid

metabolism, Metabolic pathways, Metabolism of xenobiotics by cytochrome P450, Retinol

metabolism

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Human fetal intestines tissue lysate Primary antibody: TA324142 (CYP3A4 Antibody)


at dilution 1/400

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 1 minute





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA324142 (CYP3A4 Antibody) at dilution 1/15 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA324142 (CYP3A4 Antibody) at dilution 1/15, treated with fusion protein. (Original magnification: ×200)