

## **Product datasheet for TA324199**

## **APE1 (APEX1) Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela, 293T and A431 cells

IHC: 15-50

Positive control: Human thyroid cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein corresponding to a region derived from 15-224 amino acids of human APEX

nuclease (multifunctional DNA repair enzyme) 1

**Formulation:** PBS pH7.3, 0.05% NaN3, 50% glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 36 kDa

**Gene Name:** apurinic/apyrimidinic endodeoxyribonuclease 1

Database Link: NP 001231178

Entrez Gene 11792 MouseEntrez Gene 79116 RatEntrez Gene 328 Human

P27695



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background: Apurinic/apyrimidinic (AP) sites occur frequently in DNA molecules by spontaneous


hydrolysis, by DNA damaging agents or by DNA glycosylases that remove specific abnormal bases. AP sites are pre-mutagenic lesions that can prevent normal DNA replication so the cell contains systems to identify and repair such sites. Class II AP endonucleases cleave the phosphodiester backbone 5' to the AP site. This gene encodes the major AP endonuclease in human cells. Splice variants have been found for this gene; all encode the same protein.

Synonyms: APE; APE1; APEN; APEX; APX; HAP1; REF1

**Protein Families:** Druggable Genome, Stem cell - Pluripotency, Transcription Factors

**Protein Pathways:** Base excision repair

## **Product images:**



Gel: 12%SDS-PAGE Lysate: 40 µg Lane 1-3: Hela cells

293T cells A431 cells


Primary antibody: TA324199 (APEX1 Antibody) at

dilution 1/450

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA324199 (APEX1 Antibody) at dilution 1/20 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA324199 (APEX1 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)