

Product datasheet for TA324300

ALDH6A1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Rat kidney tissue

IHC: 50-200

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to C terminal 250 amino acids of human aldehyde

dehydrogenase 6 family, member A1

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 58 kDa

Gene Name: aldehyde dehydrogenase 6 family member A1

Database Link: NP 001265522

Entrez Gene 81708 RatEntrez Gene 104776 MouseEntrez Gene 4329 Human

Q02252



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background: This protein belongs to the aldehyde dehydrogenases family of proteins. This enzyme plays a

 $\label{eq:continuous} \mbox{role in the valine and pyrimidine catabolic pathways. The product of this gene, a}$

mitochondrial methylmalonate semialdehyde dehydrogenase, catalyzes the irreversible oxidative decarboxylation of malonate and methylmalonate semialdehydes to acetyl- and propionyl-CoA. Methylmalonate semialdehyde dehydrogenase deficiency is characterized by elevated beta-alanine, 3-hydroxypropionic acid, and both isomers of 3-amino and 3-

hydroxyisobutyric acids in urine organic acids.

Synonyms: MMSADHA; MMSDH

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Inositol phosphate metabolism, Metabolic pathways, Propanoate metabolism, Valine, leucine

and isoleucine degradation

Product images:



Gel: 10%SDS-PAGE Lysate: 40 μg

Lane: Rat kidney tissue


Primary antibody: TA324300 (ALDH6A1 Antibody)

at dilution 1/450

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 30 seconds




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA324300 (ALDH6A1 Antibody) at dilution 1/45 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA324300 (ALDH6A1 Antibody) at dilution 1/45, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA324300 (ALDH6A1 Antibody) at dilution 1/45 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA324300 (ALDH6A1 Antibody) at dilution 1/45, treated with fusion protein. (Original magnification: ×200)