

Product datasheet for TA324309S

Dap3 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 1000-3000

WB positive control: Hepg2 and Hela cells

IHC: 25-100

Positive control: Human brain Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 44-57 amino acids of Mouse death

associated protein 3

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 45 kDa

Gene Name: death associated protein 3

Database Link: NP 075370

Entrez Gene 7818 HumanEntrez Gene 65111 Mouse

Q9ER88



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

28S ribosomal protein S29; mitochondrial is a protein that in humans is encoded by the DAP3 gene. Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. This protein potentially binds ATP/GTP and might be a functional partner of the mitoribosomal protein S27. Splice variants that differ in the 5' UTR have been found for this gene; both variants encode the same protein. Pseudogenes corresponding to this gene are found on chromosomes 1q and 2q. DAP3 has been shown to interact with FADD; TNFRSF10A; Glucocorticoid receptor and Heat shock protein 90kDa alpha (cytosolic); member A1.

Synonyms:

bMRP-10; DAP-3; DKFZp686G12159; MGC126058; MGC126059; MRP-S29; MRPS29; S29mt

Product images:



Gel: 10%SDS-PAGE Lysate: 30 µg Lane 1-2: Hepg2 cells Hela cells


Primary antibody: [TA324309] (Dap3 Antibody) at

dilution 1/900

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA324309] (Dap3 Antibody) at dilution 1/45 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human brain tissue using [TA324309] (Dap3 Antibody) at dilution 1/45, treated with synthetic peptide. (Original magnification: ×200)