

Product datasheet for TA324396S

Caspase 3 (CASP3) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: FC, IHC, WB

Recommended Dilution: WB: 1:1000, IHC: 1:50~100, FC: 1:10~50

Reactivity: Human (Predicted: Mouse, Rat, Monkey, Rabbit)

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: This CASP3 antibody is generated from rabbits immunized with a KLH conjugated synthetic

peptide between 219-248 amino acids from the C-terminal region of human CASP3.

Formulation: Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

Concentration: lot specific

Purification: This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by

dialysis against PBS.

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 31608 Da

Gene Name: caspase 3

Database Link: NP 004337

Entrez Gene 12367 MouseEntrez Gene 25402 RatEntrez Gene 694473 MonkeyEntrez Gene 836

<u>Human</u> <u>P42574</u>

Synonyms: CPP32; CPP32B; SCA-1

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Protease



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Protein Pathways:

Alzheimer's disease, Amyotrophic lateral sclerosis (ALS), Apoptosis, Colorectal cancer, Epithelial cell signaling in Helicobacter pylori infection, Huntington's disease, MAPK signaling pathway, Natural killer cell mediated cytotoxicity, p53 signaling pathway, Parkinson's disease, Pathways in cancer, Viral myocarditis

Product images:




CASP3 Antibody (C-term) (Cat. #[TA324396]) western blot analysis in MDA-MB435 cell line lysates (35ug/lane). This demonstrates the CASP3 antibody detected the CASP3 protein (arrow).



CASP3 Antibody (C-term) (Cat. # [TA324396])immunohistochemistry analysis in formalin fixed and paraffin embedded human kidney tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of CASP3 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.





CASP3 Antibody (C-term) (Cat. #[TA324396]) flow cytometric analysis of MDA-MB435 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.