

Product datasheet for **TA324415S**


ZMYND17 (MSS51) Rabbit Polyclonal Antibody

Product data:


Product Type:	Primary Antibodies
Applications:	IF, IHC, WB
Recommended Dilution:	WB: 1:1000, IHC: 1:50~100, IF: 1:10~50
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	This ZMYND17 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 402-430 amino acids from the C-terminal region of human ZMYND17.
Formulation:	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
Concentration:	lot specific
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	51289 Da
Gene Name:	MSS51 mitochondrial translational activator
Database Link:	NP_001019764 Entrez Gene 118490 Human Q4VC12
Synonyms:	ZMYND17




[View online »](#)

Product images:


ZMYND17 Antibody (C-term) (Cat. # [TA324415]) western blot analysis in HeLa cell line lysates (35ug/lane). This demonstrates the ZMYND17 antibody detected the ZMYND17 protein (arrow).



ZMYND17 Antibody (C-term) (Cat. # [TA324415]) immunohistochemistry analysis in formalin fixed and paraffin embedded human skeletal muscle followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ZMYND17 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Confocal immunofluorescent analysis of ZMYND17 Antibody (C-term) (Cat#[TA324415]) with Hela cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). DAPI was used to stain the cell nuclear (blue).