

Product datasheet for TA324443

MMP1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IF, IHC, WB

Recommended Dilution: WB: 1:1000, IHC: 1:50~100, IF: 1:10~50

Reactivity: Human

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: This MMP1 antibody is generated from rabbits immunized with a KLH conjugated synthetic

peptide between 317-347 amino acids from the Central region of human MMP1.

Formulation: Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

Concentration: lot specific

Purification: This antibody is purified through a protein A column, followed by peptide affinity purification.

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 54007 Da

Gene Name: matrix metallopeptidase 1

Database Link: NP 002412

Entrez Gene 4312 Human

P03956

Synonyms: CLG; CLGN

Protein Families: Druggable Genome, Protease, Secreted Protein

Protein Pathways: Bladder cancer, Pathways in cancer, PPAR signaling pathway




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




MMP1 Antibody (Center) (Cat. #TA324443) western blot analysis in MDA-MB231 cell line lysates (35ug/lane). This demonstrates the MMP1 antibody detected the MMP1 protein (arrow).



MMP1 Antibody (Center) (Cat. #TA324443)immunohistochemistry analysis in formalin fixed and paraffin embedded human esophageal carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of MMP1 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.





Confocal immunofluorescent analysis of MMP1 Antibody (Center) (Cat#TA324443) with MDA-MB231 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit lgG (green). DAPI was used to stain the cell nuclear (blue).