

## **Product datasheet for TA324529**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Retinoic Acid Receptor alpha (RARA) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** FC, IF, IHC, WB

**Recommended Dilution:** WB: 1:1000, IF: 1:10~50, IHC: 1:10~50, FC: 1:10~50

**Reactivity:** Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: This RARA antibody is generated from rabbits immunized with a KLH conjugated synthetic

peptide between 322-349 amino acids from the C-terminal region of human RARA.

**Formulation:** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

**Concentration:** lot specific

**Purification:** This antibody is purified through a protein A column, followed by peptide affinity purification.

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 50771 Da

**Gene Name:** retinoic acid receptor alpha

Database Link: NP 000955

Entrez Gene 19401 MouseEntrez Gene 5914 Human

P10276


Synonyms: NR1B1; RAR

**Protein Families:** Druggable Genome, Nuclear Hormone Receptor, Transcription Factors


**Protein Pathways:** Acute myeloid leukemia, Pathways in cancer



## **Product images:**





RARA Antibody (C-term) (Cat. #TA324529) western blot analysis in HL-60 cell line and mouse testis tissue lysates (35ug/lane). This demonstrates the RARA antibody detected the RARA protein (arrow).



RARA Antibody (C-term) (Cat. #TA324529)immunohistochemistry analysis in formalin fixed and paraffin embedded human cerebellum tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of RARA Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.







Confocal immunofluorescent analysis of RARA Antibody (C-term) (Cat#TA324529) with MCF-7 cell followed by Alexa Fluor® 488-conjugated goat anti-rabbit IgG (green). DAPI was used to stain the cell nuclear (blue).

RARA Antibody (C-term) (Cat. #TA324529) flow cytometric analysis of Hela cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.