

## Product datasheet for TA324803

## **IL4 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type: Primary Antibodies** 

**Applications:** FC, IHC, WB

**Recommended Dilution:** WB: 1:1000, IHC: 1:10~50, FC: 1:10~50 Reactivity: Human, Mouse (Predicted: Monkey)

Host: Rabbit Isotype: lgG

Clonality: Polyclonal

Immunogen: This L4 antibody is generated from rabbits immunized with a KLH conjugated synthetic

peptide between 122-150 amino acids from the C-terminal region of human L4.

Formulation: Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

Concentration: lot specific

**Purification:** This antibody is purified through a protein A column, followed by peptide affinity purification.

Conjugation: Unconjugated

Store at -20°C as received. Storage:

Stability: Stable for 12 months from date of receipt.

**Predicted Protein Size:** 17492 Da interleukin 4 Gene Name: Database Link: NP 000580

Entrez Gene 16189 MouseEntrez Gene 574281 MonkeyEntrez Gene 3565 Human

P05112

Synonyms: BCGF-1; BCGF1; BSF-1; BSF1; IL-4

**Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** Allograft rejection, Asthma, Autoimmune thyroid disease, Cytokine-cytokine receptor

interaction, Fc epsilon RI signaling pathway, Hematopoietic cell lineage, Jak-STAT signaling

pathway, T cell receptor signaling pathway




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




(LEFT)Western blot analysis of IL4 Antibody (Cterm) (Cat. #TA324803) in WiDr cell line lysates (35ug/lane).IL4 (arrow) was detected using the purified Pab. (RIGHT)Western blot analysis of IL4 Antibody (Cterm) (Cat. #TA324803) in mouse cerebellum cell line lysates (35ug/lane).IL4 (arrow) was detected using the purified Pab.



IL4 Antibody (C-term) (Cat. #TA324803) IHC analysis in formalin fixed and paraffin embedded tonsil followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the IL4 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.





IL4 Antibody (C-term) (Cat. #TA324803) flow cytometric analysis of WiDr cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.