

## **Product datasheet for TA324841**

## Nurr1 (NR4A2) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type: Primary Antibodies** 

**Applications:** IF, IHC, WB

Recommended Dilution: WB: 1:1000, IHC: 1:50~100, IF: 1:10~50 Reactivity: Human, Mouse (Predicted: Rat, Bovine)

Host: Rabbit Isotype: lgG

Clonality: Polyclonal

Immunogen: This NURR1 (NR4A2) antibody is generated from rabbits immunized with a KLH conjugated

synthetic peptide between 13-42 amino acids from the N-terminal region of human NURR1

(NR4A2).

Formulation: Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

Concentration: lot specific

**Purification:** This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by

dialysis against PBS.

Conjugation: Unconjugated

Store at -20°C as received. Storage:

Stability: Stable for 12 months from date of receipt.

**Predicted Protein Size:** 66591 Da

Gene Name: nuclear receptor subfamily 4 group A member 2

Database Link: NP 006177

Entrez Gene 18227 MouseEntrez Gene 54278 RatEntrez Gene 4929 Human

P43354

Synonyms: HZF-3; NOT; NURR1; RNR1; TINUR

**Protein Families:** Druggable Genome, Nuclear Hormone Receptor, Transcription Factors




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**





Western blot analysis of anti-NURR1 (NR4A2) Pab (Cat. #TA324841) in mouse brain tissue lysate. NURR1 (NR4A2) (arrow) was detected using the purified Pab.



NR4A2 Antibody (N-term) (Cat. #TA324841) western blot analysis in Hela cell line lysates (35ug/lane). This demonstrates the NR4A2 antibody detected the NR4A2 protein (arrow).







Formalin-fixed and paraffin-embedded human brain tissue reacted with NURR1 (NR4A2) antibody (N-term) (Cat#TA324841), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

Confocal immunofluorescent analysis of NURR1 (NR4A2) Antibody (N-term) (Cat#TA324841) with Hela cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). DAPI was used to stain the cell nuclear (blue).