

Product datasheet for TA325111

ANKH Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Primary Antibodies
FC, IHC, WB
WB: 1:1000, IHC: 1:10~50, FC: 1:10~50
Human, Mouse (Predicted: Rat)
Rabbit
IgG
Polyclonal
This ANKH antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 464-492 amino acids from the C-terminal region of human ANKH.
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
lot specific
This antibody is purified through a protein A column, followed by peptide affinity purification.
Unconjugated
Store at -20°C as received.
Stable for 12 months from date of receipt.
54241 Da
ANKH inorganic pyrophosphate transport regulator
<u>NP_473368</u> Entrez Gene 114506 RatEntrez Gene 56172 Human Q9HCJ1
ANK; CCAL2; CMDJ; CPPDD; HANK; MANK
Druggable Genome, Transmembrane




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Product images:




Western blot analysis of ANKH Antibody (C-term) (Cat. #TA325111) in mouse cerebellum tissue lysates (35ug/lane). ANKH (arrow) was detected using the purified Pab.



ANKH Antibody (C-term) (Cat. #TA325111) IHC analysis in formalin fixed and paraffin embedded brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the ANKH Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



ANKH Antibody (C-term) (Cat. #TA325111) flow cytometric analysis of K562 cells (bottom histogram) compared to a negative control cell (top histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US