

Product datasheet for TA325119

FOXP1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: FC, IHC, WB

Reactivity: WB: 1:1000, IHC: 1:50~100, FC: 1:10~50 Human (Predicted: Mouse, Rat, Bovine)

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: This FOXP1 antibody is generated from rabbits immunized with a KLH conjugated synthetic

peptide between 650-677 amino acids from the C-terminal region of human FOXP1.

Formulation: Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

Concentration: lot specific

Purification: This antibody is purified through a protein A column, followed by peptide affinity purification.

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 75317 Da

Gene Name: forkhead box P1

Database Link: NP 116071

Entrez Gene 108655 MouseEntrez Gene 297480 RatEntrez Gene 27086 Human

Q9H334

Synonyms: 12CC4; hFKH1B; HSPC215; MFH; QRF1

Protein Families: Transcription Factors




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




FOXP1 Antibody (C-term) (Cat. #TA325119) western blot analysis in A549, Daudi, Jurkat, MCF-7, NCI-H292 cell line lysates (35ug/lane). This demonstrates the FOXP1 antibody detected the FOXP1 protein (arrow).



FOXP1 Antibody (C-term) (Cat. #TA325119) IHC analysis in formalin fixed and paraffin embedded lung tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the FOXP1 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.





FOXP1 Antibody (C-term) (Cat. #TA325119) flow cytometric analysis of Ramos cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.