

Product datasheet for TA325199

c Abl (ABL1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB: 1:500-1:2000

Reactivity: Human, Mouse, Rat

Modifications: Phospho-specific

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: The antiserum was produced against A synthesized peptide derived from human Abl around

the phosphorylation site of Tyrosine 204

Formulation: Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50%

glycerol.

Concentration: lot specific

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific peptide.

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 135 kDa

Gene Name: ABL proto-oncogene 1, non-receptor tyrosine kinase

Database Link: NP 005148

Entrez Gene 11350 MouseEntrez Gene 311860 RatEntrez Gene 25 Human

P00519

Background: The ABL1 protooncogene encodes a cytoplasmic and nuclear protein tyrosine kinase that has

been implicated in processes of cell differentiation, cell division, cell adhesion, and stress response. Activity of c-Abl protein is negatively regulated by its SH3 domain, and deletion of

the SH3 domain turns ABL1 into an oncogene.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



c Abl (ABL1) Rabbit Polyclonal Antibody - TA325199


Synonyms: ABL; abl; bcr; c-ABL1; JTK7; p150; v-abl

Protein Families: Druggable Genome, Protein Kinase, Transcription Factors

Protein Pathways: Axon guidance, Cell cycle, Chronic myeloid leukemia, ErbB signaling pathway, Neurotrophin

signaling pathway, Pathogenic Escherichia coli infection, Pathways in cancer, Viral myocarditis

Product images:



Western blot analysis of Abl phosphorylation expression in Adriamycin treated COS7 whole cell lysates, The lane on the left is treated with the antigen-specific peptide.