

Product datasheet for TA327025

CARD4 (NOD1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB 1:500 - 1:2000 Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: lgG

Polyclonal Clonality:

Immunogen: Recombinant protein of human NOD1

Formulation: Store at -20C or -80C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50%

glycerol, pH7.3

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Store at -20°C as received. Storage:

Stability: Stable for 12 months from date of receipt.

Gene Name: nucleotide binding oligomerization domain containing 1

Database Link: NP 006083

Entrez Gene 107607 MouseEntrez Gene 500133 RatEntrez Gene 10392 Human

Q9Y239



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


Nod1/CARD4 is a cytosolic protein structually related to Apaf-1 and plant drug-resistance proteins that has been implicated in apoptosis and inflammatory responses to certain pathogenic bacteria. It contains an amino-terminal caspase recruitment domain (CARD) that is linked to a central nucleotide-binding domain (NBD; also known as a NOD domain) and is followed by carboxy-terminal leucine-rich repeats (LRR). Like Apaf-1, Nod1 induces apoptosis by a CARD/NBD-dependent activation of caspase-9. The primary function of Nod1 is thought to be as a sensor for certain pathogenic microbes and triggering inflammatory responses including the activation of NF-¦ÊB and JNK pathways. The LRR of Nod1 appears to be involved in recognition of microbial components and the CARD domain induces NF-¦ÊB activation in cooperation with the CARD containing kinase, RICK/RIP2/CARDIAK. Mutations in Nod1 have been linked increased susceptibility to asthma and inflammatory bowel disease.

Synonyms: CARD4; CLR7.1; NLRC1

Protein Families: Druggable Genome

Protein Pathways: Epithelial cell signaling in Helicobacter pylori infection, NOD-like receptor signaling pathway

Product images:



Western blot analysis of Mouse bladder cell lysate using NOD1 antibody.