

Product datasheet for TA327283S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Aurora A (AURKA) Rabbit Polyclonal Antibody

Product data:

Applications:

Product Type: Primary Antibodies

Recommended Dilution: WB.1:500 - 1:2000

IF/ICC,1:50 - 1:200

ELISA, ICC/IF, WB

ELISA,Recommended starting concentration is 1 μg/mL. Please optimize the concentration

based on your specific assay requirements.

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Formulation: Store at -20C or -80C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50%

glycerol, pH7.3

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 46kDa

Gene Name: aurora kinase A

Database Link: NP 003591

Entrez Gene 20878 MouseEntrez Gene 6790 Human

O14965



Background: The protein encoded by this gene is a cell cycle-regulated kinase that appears to be involved

in microtubule formation and/or stabilization at the spindle pole during chromosome segregation. The encoded protein is found at the centrosome in interphase cells and at the spindle poles in mitosis. This gene may play a role in tumor development and progression. A processed pseudogene of this gene has been found on chromosome 1, and an unprocessed pseudogene has been found on chromosome 10. Multiple transcript variants encoding the


same protein have been found for this gene.

Synonyms: AIK; ARK1; AURA; BTAK; PPP1R47; STK6; STK7; STK15


Protein Families: Druggable Genome, Protein Kinase, Stem cell - Pluripotency

Protein Pathways: Oocyte meiosis

Product images:



Western blot analysis of lysates from HeLa cells



Immunofluorescence analysis of HeLa cells using AURKA Rabbit pAb ([TA327283]) at dilution of 1:100 (40x lens). Secondary antibody: Cy3-conjugated Goat anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.