

## Product datasheet for **TA328261**


### BCA1 (CXCL13) Rabbit Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	ELISA
Recommended Dilution:	WB: 0.1-0.2ug/mL, ELISA: 0.25-2ug/mL
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	E.coli derived Recombinant Human BCA-1 (CXCL13)
Formulation:	A sterile filtered antibody solution was lyophilized from PBS, pH 7.2.
Purification:	Produced from sera of rabbits pre-immunized with highly pure (>98%) recombinant hBCA-1. Anti-Human BCA-1 specific antibody was purified by affinity chromatography employing immobilized hBCA-1 matrix.
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	C-X-C motif chemokine ligand 13
Database Link:	<a href="#">NP_006410</a> <a href="#">Entrez Gene 10563 Human</a> <a href="#">O43927</a>
Synonyms:	ANGIE; ANGIE2; BCA-1; BCA1; BLC; BLR1L; SCYB13
Protein Families:	Druggable Genome, Secreted Protein
Protein Pathways:	Chemokine signaling pathway, Cytokine-cytokine receptor interaction



[View online »](#)

**Product images:**

To detect hBCA-1 by sandwich ELISA (using 100 ul/well antibody solution) a concentration of 0.5 - 2.0 ug/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with Biotinylated Anti-Human BCA-1 ([TA328260]) as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant hBCA-1.