

Product datasheet for TA328281

1 Todact datasticct for TAS2020

CCL27 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA

Recommended Dilution: WB: 0.1-0.2ug/mL, ELISA: 0.5-2ug/mL

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Formulation: A sterile filtered antibody solution was lyophilized from PBS, pH 7.2.

Purification: Produced from sera of rabbits immunized with highly pure recombinant Human CTACK. Anti-

Human CTACK specific antibody was purified by affinity chromatography and then

biotinylated.

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: C-C motif chemokine ligand 27

Database Link: NP 006655

Entrez Gene 10850 Human

Q9Y4X3

Synonyms: ALP; CTACK; CTAK; ESKINE; ILC; PESKY; SCYA27

Protein Families: Druggable Genome

Protein Pathways: Chemokine signaling pathway, Cytokine-cytokine receptor interaction




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



To detect Human CTACK by direct ELISA (using 100 ml/well) a concentration of approximately 1.0 ug/ml of this antibody is required. This biotinylated polyclonal antibody allows the detection of at least 0.2-0.4 ng/well of recombinant Human CTACK.



To detect Human CTACK by sandwich ELISA (using 100 ml/well) a concentration of 0.25-1.0 ug/ml of this antibody is required. This biotinylated polyclonal antibody, in conjunction with Polyclonal Anti-Human CTACK ([TA328282]) as a capture antibody, allows the detection of at least 0.2-0.4 ng/well of recombinant Human CTACK.