

## Product datasheet for **TA328495**

### IL10 Rabbit Polyclonal Antibody


#### Product data:

Product Type:	Primary Antibodies
Applications:	ELISA, WB
Recommended Dilution:	WB: 0.1-0.2ug/mL, ELISA: 0.25-2ug/mL
Reactivity:	Murine
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	E.coli derived Recombinant Murine IL-10
Formulation:	A sterile filtered antibody solution was lyophilized from PBS, pH 7.2.
Purification:	Produced from sera of rabbits pre-immunized with highly pure (>98%) recombinant mL-10. Anti-Murine IL-10 specific antibody was purified by affinity chromatography employing immobilized mL-10 matrix.
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	interleukin 10
Database Link:	<a href="#">NP_034678</a> <a href="#">Entrez Gene 16153 Mouse</a> <a href="#">P18893</a>
Synonyms:	CSIF; IL-10; IL10A; MGC126450; MGC126451; TGIF
Note:	Neutralization: To yield one-half maximal inhibition [ND50] of the biological activity of mL-10 (1.0 ng/ml), a concentration of 0.043-0.064 <=ug/ml of this antibody is required.




[View online »](#)

Product images:



To detect mIL-10 by sandwich ELISA (using 100 ul/well antibody solution) a concentration of 0.5 - 2.0 ug/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with Biotinylated Anti-Murine IL-10 ([TA328494]) as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant mIL-10.



To detect mIL-10 by sandwich ELISA (using 100 ul/well antibody solution) a concentration of 0.5 - 2.0 ug/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with Biotinylated Anti-Murine IL-10 ([TA328494]) as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant mIL-10.