

## **Product datasheet for TA328522**

## **Cxcl10 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** ELISA

Recommended Dilution: WB: 0.1-0.2ug/mL, ELISA: 0.25-2ug/mL

Reactivity: Murine
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: E.coli derived Recombinant Murine IP-10 (CXCL10)

**Formulation:** A sterile filtered antibody solution was lyophilized from PBS, pH 7.2.

**Purification:** Produced from sera of rabbits pre-immunized with highly pure (>98%) recombinant mIP-10.

Anti-Murine IP-10 specific antibody was purified by affinity chromatography and then

biotinylated.

Conjugation: Biotin

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Gene Name: chemokine (C-X-C motif) ligand 10

Database Link: NP 067249

Entrez Gene 15945 Mouse

P17515

**Synonyms:** C7; crg-2; Gamma-IP10; gIP-10; IFI10; INP10; IP-10; mob-1; SCYB10




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



To detect mIP-10 by direct ELISA (using 100 ul/well antibody solution) a concentration of 0.25-1.0 ug/ml of this antibody is required. This biotinylated polyclonal antibody, in conjunction with compatible secondary reagents, allows the detection of at least 0.2-0.4 ng/well of recombinant mIP-10.



To detect mIP-10 by sandwich ELISA (using 100 ul/well antibody solution) a concentration of 0.25-1.0 ug/ml of this antibody is required. This biotinylated polyclonal antibody, in conjunction with Polyclonal Anti-Murine IP-10 ([TA328523]) as a capture antibody, allows the detection of at least 0.2-0.4 ng/well of recombinant mIP-10.