

Product datasheet for TA328529

Lep Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

ELISA, IHC, WB **Applications:**

Recommended Dilution: WB: 0.1-0.2ug/mL, ELISA: 0.25-2ug/mL, IHC: 0.25ug/mL - 1mg/mL

Reactivity: Rabbit Host: Isotype: lgG

Polyclonal Clonality:

Immunogen: E.coli derived Recombinant Murine Leptin

Formulation: A sterile filtered antibody solution was lyophilized from PBS, pH 7.2.

Purification: Produced from sera of rabbits pre-immunized with highly pure (>98%) recombinant mLeptin.

Anti-Murine Leptin specific antibody was purified by affinity chromatography employing

immobilized mLeptin matrix.

Conjugation: Unconjugated

Store at -20°C as received. Storage:

Stability: Stable for 12 months from date of receipt.

Gene Name: leptin

Database Link: NP 032519

Entrez Gene 16846 Mouse

P41160

Synonyms: FLJ94114; leptin; OB; OBS




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Product images:



To detect mLeptin by sandwich ELISA (using 100 ul/well antibody solution) a concentration of 0.5 - 2.0 ug/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with Biotinylated Anti-Murine Leptin ([TA328528]) as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant mLeptin.



To detect mLeptin by sandwich ELISA (using 100 ul/well antibody solution) a concentration of 0.5 - 2.0 ug/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with Biotinylated Anti-Murine Leptin ([TA328528]) as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant mLeptin.



To detect mLeptin by sandwich ELISA (using 100 ul/well antibody solution) a concentration of 0.5 - 2.0 ug/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with Biotinylated Anti-Murine Leptin ([TA328528]) as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant mLeptin.