

## Product datasheet for **TA330367**


### FOX M1 Rabbit Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB, IHC
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	The immunogen for anti-FOX M1 antibody: synthetic peptide directed towards the middle region of human FOX M1. Synthetic peptide located within the following region: ANRSLTEGLVLDTMNDSLSKILLDISFPGLDEDPLGPDNINWSQFIPELQ
Formulation:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose. <i>Note that this product is shipped as lyophilized powder to China customers.</i>
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	84 kDa
Gene Name:	forkhead box M1
Database Link:	<a href="#">NP_068772</a> <a href="#">Entrez Gene 2305 Human Q08050</a>
Background:	FOX M1 is a transcriptional activatory factor. It may play a role in the control of cell proliferation
Synonyms:	FKHL16; FOX M1B; HFH-11; HFH11; HNF-3; INS-1; MPHOSPH2; MPP-2; MPP2; PIG29; TGT3; TRIDENT
Note:	Immunogen sequence homology: Human: 100%; Mouse: 91%; Rabbit: 91%; Rat: 91%; Dog: 83%; Guinea pig: 83%; Pig: 83%
Protein Families:	Transcription Factors



[View online »](#)


**Product images:**


Lanes: Lane 1: 25 ug MIA PaCa-2 human pancreatic cancer cell line Lane 2: 25 ug MDA-MB-231 cell lysate; Lane 3: 25 ug Huh-7 cell lysate; Primary Antibody Dilution: 1:2000; Secondary Antibody: Anti-rabbit-HRP; Secondary Antibody Dilution: 1:5000; Gene Name


See Immunoblot 2 Data and Customer Feedback for more Information



WB Suggested Anti-FOXM1 Antibody Titration: 1 ug/ml; Positive Control: Jurkat cell lysate



Immunohistochemistry with Human Spleen lysate tissue at an antibody concentration of 5.0 ug/ml using anti-FOXM1 antibody (AVARP03043\_P050)



Immunohistochemistry with Spleen cell lysate tissue at an antibody concentration of 5.0ug/ml using anti-FOXM1 antibody