

## Product datasheet for **TA330522**

### RNF39 Rabbit Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	WB
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	The immunogen for anti-RNF39 antibody: synthetic peptide directed towards the C terminal of human RNF39. Synthetic peptide located within the following region: CRSINSNPFRPKIMRPHLVSTFPRPCSKPNPFLPSGSQNLLSPTATTVL
Formulation:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose. <i>Note that this product is shipped as lyophilized powder to China customers.</i>
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	28 kDa
Gene Name:	ring finger protein 39
Database Link:	<a href="#">NP_079512</a> <a href="#">Entrez Gene 80352 Human</a> <a href="#">Q9H2S5</a>



[View online »](#)

**Background:**

Its gene lies within the major histocompatibility complex class I region on chromosome 6. Studies of a similar rat protein suggest that RNF39 plays a role in an early phase of synaptic plasticity. Its gene lies within the major histocompatibility complex class I region on chromosome 6. This gene lies within the major histocompatibility complex class I region on chromosome 6. Studies of a similar rat protein suggest that this gene encodes a protein that plays a role in an early phase of synaptic plasticity. Alternative splicing results in three transcript variants encoding different isoforms. This gene lies within the major histocompatibility complex class I region on chromosome 6. Studies of a similar rat protein suggest that this gene encodes a protein that plays a role in an early phase of synaptic plasticity. Alternative splicing results in three transcript variants encoding different isoforms.

**Synonyms:**


HZF; HZFW; LIRF

**Note:**

Immunogen sequence homology: Human: 100%

**Protein Families:**

Druggable Genome

**Product images:**

WB Suggested Anti-RNF39 Antibody Titration: 2.5 ug/ml; Positive Control: HepG2 cell lysate